




HEY-WEL MECHANICAL CO., LTD.


VACUUM BLOWER (SUCTION PUMP DEVICE)



<http://www.heywel.com.tw>

VACUUM BLOWER (SUCTION PUMP DEVICE)

RSV PARTS LIST




| NO. | NAME | MATERIAL | Q'TY | NO. | NAME | MATERIAL | Q'TY |
|-----|--------------------|----------|------|-----|------------------|----------|------|
| 1 | TC Oil seal | NBR | 1 | 16 | Positioning pins | S45C | 4 |
| 2 | Lubricant plug | ABS | 2 | 17 | Blower casing | FC250 | 1 |
| 3 | Oil sight window | Glass | 2 | 18 | Drive shaft | SCM440 | 1 |
| 4 | Oil reservoir | FC250 | 1 | 19 | Driven shaft | SCM440 | 1 |
| 5 | Purge plug | S45C | 2 | 20 | Rotors | FC250 | 2 |
| 6 | Locking nuts | S45C | 5 | 21 | Gear Shaft | SCM440 | 2 |
| 7 | Lock washer | S45C | 4 | 22 | Timing gears | SNCM220 | 2 |
| 8 | Oil thrower | SS400 | 1 | 23 | Oil reservoir | FC250 | 1 |
| 9 | Oil thrower washer | SS400 | 1 | | | | |
| 10 | Bearing fixtures | SS400 | 2 | | | | |
| 11 | Bearings | SUJ2 | 4 | | | | |
| 12 | TC Oil seal | NBR | 1 | | | | |
| 13 | V-ring | Viton | 3 | | | | |
| 14 | Positioning pins | S45C | 2 | | | | |
| 15 | Bearing case | FC250 | 2 | | | | |


VACUUM BLOWER (SUCTION PUMP DEVICE)

RSV PERFORMANCE CHART


RSV - 40




RSV - 80




RSV - 50




RSV - 100



RSV - 65




RSV - 125A




VACUUM BLOWER (SUCTION PUMP DEVICE)

RSV PERFORMANCE CHART


RSV - 125




RSV - 200A




RSV - 150




RSV - 250




RSV - 200



RSV - 300



RSV - 300A



VACUUM BLOWER (SUCTION PUMP DEVICE)

RSV PERFORMANCE TABLE

| Model | RPM | Type RSV-40 performance | | | | | | | | | | | | | | | |
|--------|------|-------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-40 | 850 | 0.74 | 0.27 | 0.59 | 0.53 | 0.48 | 0.82 | 0.37 | 1.00 | 0.28 | 1.21 | 0.22 | 1.42 | | | | |
| | 950 | 0.90 | 0.30 | 0.75 | 0.59 | 0.64 | 0.85 | 0.53 | 1.11 | 0.44 | 1.34 | 0.38 | 1.58 | | | | |
| | 1050 | 1.06 | 0.33 | 0.91 | 0.65 | 0.79 | 0.94 | 0.70 | 1.22 | 0.61 | 1.50 | 0.53 | 1.75 | | | | |
| | 1150 | 1.22 | 0.37 | 1.08 | 0.71 | 0.96 | 1.03 | 0.86 | 1.40 | 0.76 | 1.64 | 0.70 | 1.92 | | | | |
| | 1250 | 1.38 | 0.39 | 1.24 | 0.77 | 1.12 | 1.12 | 1.02 | 1.46 | 0.92 | 1.78 | 0.86 | 2.09 | | | | |
| | 1350 | 1.54 | 0.43 | 1.39 | 0.83 | 1.28 | 1.21 | 1.18 | 1.58 | 1.09 | 1.93 | 1.02 | 2.26 | | | | |
| | 1450 | 1.70 | 0.46 | 1.56 | 0.89 | 1.45 | 1.30 | 1.34 | 1.69 | 1.26 | 2.06 | 1.18 | 2.42 | | | | |
| | 1550 | 1.86 | 0.49 | 1.72 | 0.95 | 1.61 | 1.39 | 1.50 | 1.81 | 1.41 | 2.21 | 1.34 | 2.59 | 1.28 | 2.95 | 1.24 | 3.08 |
| | 1650 | 2.02 | 0.52 | 1.88 | 1.01 | 1.77 | 1.48 | 1.66 | 1.93 | 1.57 | 2.35 | 1.51 | 2.75 | 1.45 | 3.14 | 1.40 | 3.40 |
| | 1750 | 2.19 | 0.56 | 2.04 | 1.08 | 1.93 | 1.57 | 1.82 | 2.05 | 1.73 | 2.49 | 1.66 | 2.92 | 1.60 | 3.33 | 1.56 | 3.78 |
| | 1850 | 2.35 | 0.59 | 2.20 | 1.14 | 2.09 | 1.66 | 1.98 | 2.17 | 1.88 | 2.63 | 1.82 | 3.09 | 1.76 | 3.52 | 1.72 | 4.04 |
| 1950 | 2.51 | 0.62 | 2.36 | 1.23 | 2.25 | 1.75 | 2.14 | 2.29 | 2.04 | 2.77 | 1.97 | 3.26 | 1.91 | 3.70 | 1.87 | 4.37 | |

| Model | RPM | Type RSV-50 performance | | | | | | | | | | | | | | | |
|--------|------|-------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-50 | 850 | 1.23 | 0.45 | 0.98 | 0.88 | 0.80 | 1.37 | 0.62 | 1.66 | 0.47 | 2.02 | 0.36 | 2.36 | 0.26 | 2.69 | 0.18 | 3.01 |
| | 950 | 1.50 | 0.50 | 1.25 | 0.98 | 1.06 | 1.42 | 0.89 | 1.85 | 0.74 | 2.24 | 0.63 | 2.64 | 0.53 | 3.01 | 0.45 | 3.37 |
| | 1050 | 1.76 | 0.55 | 1.52 | 1.08 | 1.32 | 1.57 | 1.16 | 2.04 | 1.01 | 2.50 | 0.89 | 2.92 | 0.80 | 3.33 | 0.71 | 3.72 |
| | 1150 | 2.03 | 0.61 | 1.80 | 1.18 | 1.60 | 1.72 | 1.43 | 2.34 | 1.27 | 2.74 | 1.16 | 3.20 | 1.07 | 3.65 | 0.98 | 4.08 |
| | 1250 | 2.30 | 0.66 | 2.07 | 1.28 | 1.87 | 1.86 | 1.70 | 2.43 | 1.54 | 2.97 | 1.43 | 3.48 | 1.34 | 3.97 | 1.25 | 4.25 |
| | 1350 | 2.56 | 0.72 | 2.35 | 1.38 | 2.14 | 2.02 | 1.97 | 2.63 | 1.81 | 3.21 | 1.70 | 3.76 | 1.61 | 4.27 | 1.52 | 4.43 |
| | 1450 | 2.83 | 0.77 | 2.60 | 1.49 | 2.41 | 2.17 | 2.23 | 2.82 | 2.08 | 3.44 | 1.97 | 4.03 | 1.87 | 4.60 | 1.80 | 4.60 |
| | 1550 | 3.10 | 0.82 | 2.87 | 1.59 | 2.68 | 2.32 | 2.50 | 3.02 | 2.35 | 3.68 | 2.24 | 4.31 | 2.14 | 4.92 | 2.07 | 5.13 |
| | 1650 | 3.37 | 0.87 | 3.14 | 1.69 | 2.95 | 2.47 | 2.77 | 3.22 | 2.62 | 3.92 | 2.51 | 4.59 | 2.41 | 5.24 | 2.34 | 5.66 |
| | 1750 | 3.65 | 0.93 | 3.40 | 1.80 | 3.21 | 2.62 | 3.03 | 3.42 | 2.88 | 4.15 | 2.77 | 4.87 | 2.67 | 5.55 | 2.60 | 6.30 |
| | 1850 | 3.92 | 0.98 | 3.67 | 1.90 | 3.48 | 2.77 | 3.30 | 3.62 | 3.14 | 4.38 | 3.03 | 5.15 | 2.93 | 5.86 | 2.86 | 6.74 |
| 1950 | 4.19 | 1.03 | 3.94 | 2.00 | 3.75 | 2.92 | 3.57 | 3.82 | 3.40 | 4.61 | 3.29 | 5.43 | 3.19 | 6.17 | 3.02 | 7.28 | |

| Model | RPM | Type RSV-65 performance | | | | | | | | | | | | | | | |
|--------|------|-------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|-----|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-65 | 850 | 2.07 | 0.6 | 1.89 | 1.2 | 1.71 | 1.8 | 1.55 | 2.3 | 1.41 | 2.8 | 1.29 | 3.3 | 1.19 | 3.7 | 1.09 | 4.2 |
| | 950 | 2.41 | 0.8 | 2.23 | 1.4 | 2.05 | 2.0 | 1.89 | 2.6 | 1.74 | 3.1 | 1.63 | 3.6 | 1.53 | 4.2 | 1.43 | 4.6 |
| | 1050 | 2.76 | 1.2 | 2.58 | 1.5 | 2.40 | 2.2 | 2.23 | 2.8 | 2.09 | 3.4 | 1.98 | 4.0 | 1.87 | 4.6 | 1.77 | 5.1 |
| | 1150 | 3.10 | 1.4 | 2.93 | 1.6 | 2.74 | 2.4 | 2.58 | 3.1 | 2.45 | 3.8 | 2.33 | 4.4 | 2.22 | 5.0 | 2.12 | 5.6 |
| | 1250 | 3.41 | 1.5 | 3.27 | 1.8 | 3.08 | 2.6 | 2.92 | 3.4 | 2.79 | 4.1 | 2.67 | 4.8 | 2.56 | 5.5 | 2.46 | 6.1 |
| | 1350 | 3.77 | 1.6 | 3.61 | 1.9 | 3.42 | 2.8 | 3.26 | 3.6 | 3.13 | 4.4 | 3.01 | 5.2 | 2.91 | 5.9 | 2.80 | 6.6 |
| | 1450 | 4.13 | 1.7 | 3.96 | 2.1 | 3.77 | 3.0 | 3.62 | 3.9 | 3.48 | 4.8 | 3.36 | 5.6 | 3.26 | 6.3 | 3.15 | 7.1 |
| | 1550 | 4.48 | 1.8 | 4.30 | 2.2 | 4.11 | 3.2 | 3.96 | 4.2 | 3.82 | 5.1 | 3.70 | 5.9 | 3.60 | 6.8 | 3.49 | 7.6 |
| | 1650 | 4.82 | 1.9 | 4.65 | 2.3 | 4.45 | 3.4 | 4.30 | 4.4 | 4.16 | 5.4 | 4.04 | 6.3 | 3.94 | 7.2 | 3.84 | 8.0 |
| | 1750 | 5.17 | 2.0 | 5.00 | 2.5 | 4.80 | 3.6 | 4.65 | 4.7 | 4.50 | 5.7 | 4.39 | 6.7 | 4.29 | 7.6 | 4.19 | 8.1 |
| | 1850 | 5.51 | 2.1 | 5.34 | 2.6 | 5.14 | 3.8 | 4.99 | 5.0 | 4.84 | 6.1 | 4.73 | 7.1 | 4.63 | 8.1 | 4.53 | 9.0 |
| 1950 | 5.86 | 2.2 | 5.68 | 2.8 | 5.48 | 4.0 | 5.33 | 5.3 | 5.18 | 6.4 | 5.07 | 7.5 | 4.97 | 8.5 | 4.88 | 9.5 | |

| Model | RPM | Type RSV-80 performance | | | | | | | | | | | | | | | |
|--------|------|-------------------------|------|----------|------|----------|-----|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-80 | 800 | 2.91 | 1.4 | 2.55 | 2.1 | 2.23 | 2.8 | 1.9 | 3.5 | 1.67 | 4.3 | 1.42 | 5.4 | 1.21 | 6.6 | 1.02 | 7.7 |
| | 900 | 3.51 | 1.5 | 3.25 | 2.3 | 2.93 | 3.1 | 2.6 | 3.8 | 2.36 | 4.6 | 2.12 | 5.8 | 1.89 | 6.9 | 1.70 | 8.0 |
| | 1000 | 4.21 | 1.6 | 3.95 | 2.5 | 3.63 | 3.5 | 3.3 | 4.3 | 3.06 | 5.5 | 2.82 | 6.6 | 2.61 | 7.1 | 2.42 | 8.2 |
| | 1100 | 4.91 | 1.7 | 4.65 | 2.8 | 4.33 | 3.8 | 4.0 | 4.7 | 3.76 | 5.7 | 3.52 | 6.8 | 3.31 | 8.0 | 3.12 | 9.1 |
| | 1200 | 5.40 | 1.8 | 5.14 | 2.9 | 4.82 | 4.0 | 4.5 | 5.0 | 4.29 | 6.0 | 4.07 | 7.2 | 3.84 | 8.3 | 3.65 | 9.4 |
| | 1300 | 6.05 | 1.9 | 5.75 | 3.2 | 5.43 | 4.3 | 5.1 | 5.6 | 4.95 | 6.7 | 4.69 | 7.8 | 4.48 | 9.0 | 4.29 | 10.1 |
| | 1400 | 6.53 | 2.0 | 6.27 | 3.5 | 5.95 | 4.6 | 5.7 | 5.8 | 5.38 | 7.1 | 5.14 | 8.3 | 4.93 | 9.6 | 4.74 | 10.8 |
| | 1500 | 7.00 | 2.1 | 6.74 | 3.5 | 6.42 | 5.0 | 6.1 | 6.3 | 5.85 | 7.5 | 5.61 | 8.9 | 5.40 | 10.4 | 5.21 | 11.9 |
| | 1600 | 7.76 | 2.2 | 7.50 | 3.9 | 7.18 | 5.3 | 6.9 | 6.7 | 6.61 | 8.1 | 6.37 | 9.5 | 6.16 | 11.0 | 5.97 | 12.4 |
| | 1650 | 8.02 | 2.3 | 7.76 | 4.0 | 7.44 | 5.4 | 7.1 | 6.8 | 6.87 | 8.3 | 6.63 | 9.7 | 6.42 | 11.2 | 6.23 | 12.7 |
| | 1750 | 8.58 | 2.4 | 8.28 | 4.3 | 7.94 | 5.7 | 7.6 | 7.3 | 7.38 | 8.7 | 7.13 | 10.3 | 6.92 | 11.9 | 6.73 | 13.4 |
| 1850 | 9.07 | 2.5 | 8.73 | 4.7 | 8.41 | 6.0 | 8.1 | 7.6 | 7.85 | 9.2 | 7.60 | 10.9 | 7.39 | 12.3 | 7.20 | 13.8 | |
| 1950 | 9.54 | 2.6 | 9.28 | 4.9 | 8.96 | 6.7 | 8.4 | 8.1 | 8.39 | 10.2 | 8.15 | 11.4 | 7.94 | 12.8 | 7.75 | 14.0 | |

VACUUM BLOWER (SUCTION PUMP DEVICE)

| Model | RPM | Type RSV-100 performance | | | | | | | | | | | | | | | |
|---------|-------|--------------------------|-------|----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-100 | 800 | 5.40 | 1.5 | 4.79 | 2.8 | 4.25 | 4.0 | 3.76 | 5.2 | 3.34 | 6.0 | 2.96 | 7.2 | 2.63 | 8.1 | 2.34 | 9.0 |
| | 900 | 6.24 | 1.6 | 5.63 | 3.2 | 5.09 | 4.6 | 4.60 | 5.8 | 4.18 | 6.9 | 3.80 | 8.1 | 3.47 | 9.1 | 3.18 | 10.1 |
| | 1000 | 7.08 | 1.8 | 6.47 | 3.5 | 5.93 | 5.1 | 5.44 | 6.5 | 5.02 | 7.8 | 4.64 | 9.0 | 4.31 | 10.1 | 4.02 | 11.2 |
| | 1100 | 7.92 | 2.0 | 7.31 | 3.9 | 6.77 | 5.6 | 6.28 | 7.1 | 5.86 | 8.7 | 5.48 | 9.9 | 5.15 | 11.1 | 4.75 | 12.3 |
| | 1200 | 8.76 | 2.2 | 8.15 | 4.2 | 7.61 | 6.1 | 7.12 | 7.8 | 6.70 | 9.6 | 6.32 | 10.8 | 5.99 | 12.2 | 5.70 | 13.4 |
| | 1300 | 9.60 | 2.4 | 8.99 | 4.6 | 8.45 | 6.6 | 7.96 | 8.4 | 7.54 | 10.4 | 7.16 | 11.7 | 6.83 | 13.2 | 6.54 | 14.5 |
| | 1400 | 10.44 | 2.6 | 9.83 | 4.9 | 9.29 | 7.1 | 8.86 | 9.1 | 8.38 | 11.3 | 8.00 | 12.6 | 7.67 | 14.2 | 7.38 | 15.7 |
| | 1550 | 11.72 | 2.8 | 11.11 | 5.1 | 10.57 | 7.8 | 10.08 | 10.0 | 9.56 | 12.6 | 9.18 | 14.0 | 8.85 | 15.7 | 8.56 | 17.3 |
| | 1650 | 12.55 | 3.0 | 11.94 | 5.6 | 11.40 | 8.3 | 10.91 | 10.7 | 10.49 | 13.1 | 10.11 | 14.9 | 9.78 | 16.7 | 9.49 | 18.4 |
| | 1750 | 13.38 | 3.2 | 12.77 | 6.2 | 12.23 | 8.9 | 11.74 | 11.3 | 11.32 | 13.6 | 10.94 | 15.8 | 10.61 | 17.7 | 10.32 | 19.6 |
| | 1850 | 14.21 | 3.4 | 13.79 | 6.7 | 13.37 | 9.4 | 12.88 | 12.0 | 12.46 | 14.3 | 12.02 | 16.7 | 11.69 | 18.7 | 11.37 | 20.7 |
| 1950 | 15.04 | 3.7 | 14.52 | 7.2 | 14.11 | 9.9 | 13.67 | 12.6 | 13.25 | 14.6 | 12.87 | 17.6 | 12.54 | 19.7 | 12.25 | 21.8 | |

| Model | RPM | Type RSV-125A performance | | | | | | | | | | | | | | | |
|----------|------|---------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-125A | 780 | 7.4 | 2.7 | 6.7 | 4.2 | 6.1 | 5.8 | 5.7 | 7.3 | 5.3 | 8.8 | 4.9 | 10.4 | 4.5 | 12.0 | 4.1 | 13.6 |
| | 830 | 8.0 | 2.8 | 7.4 | 4.5 | 6.8 | 6.1 | 6.3 | 7.7 | 5.9 | 9.3 | 5.5 | 11.0 | 5.1 | 12.6 | 4.7 | 14.3 |
| | 880 | 8.7 | 3.0 | 7.9 | 4.7 | 7.4 | 6.4 | 6.9 | 8.2 | 6.5 | 9.9 | 6.1 | 11.6 | 5.7 | 13.4 | 5.3 | 15.2 |
| | 930 | 9.2 | 3.1 | 8.5 | 4.9 | 7.9 | 6.7 | 7.4 | 8.6 | 7.1 | 10.4 | 6.7 | 12.3 | 6.3 | 14.2 | 5.9 | 16.1 |
| | 990 | 10.0 | 3.3 | 9.2 | 5.2 | 8.7 | 7.2 | 8.2 | 9.1 | 7.8 | 11.1 | 7.4 | 13.0 | 7.1 | 15.0 | 6.8 | 16.9 |
| | 1050 | 10.6 | 3.4 | 10.0 | 5.5 | 9.4 | 7.5 | 9.0 | 9.7 | 8.5 | 11.7 | 8.1 | 13.8 | 7.8 | 15.9 | 7.5 | 18.0 |
| | 1100 | 11.4 | 3.6 | 10.6 | 5.8 | 10.1 | 8.0 | 9.7 | 10.1 | 9.2 | 12.4 | 8.8 | 14.6 | 8.5 | 16.7 | 8.2 | 18.9 |
| | 1180 | 12.2 | 3.8 | 11.4 | 6.1 | 10.9 | 8.5 | 10.4 | 10.8 | 10.1 | 13.1 | 9.7 | 15.4 | 9.3 | 17.8 | 8.9 | 20.1 |
| | 1250 | 13.0 | 4.0 | 12.3 | 6.5 | 11.7 | 8.9 | 11.3 | 11.4 | 10.9 | 13.9 | 10.5 | 16.3 | 10.1 | 19.5 | 9.7 | 22.8 |
| | 1320 | 13.9 | 4.3 | 13.1 | 6.8 | 12.6 | 9.4 | 12.1 | 12.0 | 11.7 | 14.6 | 11.4 | 17.2 | 11.0 | 20.5 | 10.6 | 23.7 |
| | 1390 | 14.7 | 4.5 | 14.0 | 7.1 | 13.3 | 10.0 | 12.9 | 12.7 | 12.6 | 15.4 | 12.2 | 18.1 | 11.8 | 21.4 | 11.4 | 24.6 |
| | 1470 | 15.6 | 4.7 | 14.9 | 7.5 | 14.3 | 10.4 | 13.9 | 13.4 | 13.5 | 16.3 | 13.1 | 19.5 | 12.7 | 22.3 | 12.3 | 25.1 |
| | 1560 | 16.7 | 4.9 | 15.9 | 8.0 | 15.4 | 11.1 | 15.0 | 14.1 | 14.5 | 17.2 | 14.1 | 20.5 | 13.6 | 24.2 | 13.1 | 27.9 |
| | 1650 | 17.7 | 5.2 | 17.0 | 8.5 | 16.5 | 11.7 | 16.0 | 15.0 | 15.6 | 18.1 | 15.3 | 22.3 | 14.9 | 25.1 | 14.5 | 30.1 |
| | 1750 | 18.9 | 5.5 | 18.1 | 8.9 | 17.7 | 12.4 | 17.2 | 15.8 | 16.7 | 19.5 | 16.4 | 23.3 | 16.1 | 27.0 | 15.8 | 31.1 |
| 1850 | 20.1 | 5.8 | 19.3 | 9.4 | 18.8 | 13.0 | 18.3 | 16.7 | 17.9 | 21.4 | 17.6 | 24.2 | 17.2 | 27.9 | 16.8 | 32.6 | |

| Model | RPM | Type RSV-125 performance | | | | | | | | | | | | | | | |
|---------|------|--------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-125 | 780 | 11.0 | 3.7 | 10.1 | 6.0 | 9.3 | 8.2 | 8.8 | 10.4 | 8.3 | 12.6 | 7.7 | 14.9 | 7.3 | 17.1 | 6.9 | 19.2 |
| | 830 | 12.0 | 3.9 | 11.0 | 6.3 | 10.2 | 8.7 | 9.7 | 11.1 | 9.1 | 13.5 | 8.6 | 15.9 | 8.2 | 18.3 | 7.8 | 20.6 |
| | 880 | 12.8 | 4.1 | 11.8 | 6.6 | 11.1 | 9.1 | 10.4 | 11.7 | 10.0 | 14.2 | 9.4 | 16.7 | 9.0 | 19.2 | 8.6 | 21.7 |
| | 930 | 13.6 | 4.3 | 12.7 | 7.0 | 12.0 | 9.7 | 11.3 | 12.4 | 10.8 | 15.1 | 10.3 | 17.7 | 9.9 | 20.3 | 9.5 | 22.9 |
| | 990 | 14.7 | 4.6 | 13.7 | 7.4 | 13.0 | 10.2 | 12.4 | 13.2 | 11.8 | 16.0 | 11.3 | 18.8 | 10.8 | 21.6 | 10.5 | 24.4 |
| | 1050 | 15.8 | 4.8 | 14.7 | 7.8 | 14.0 | 10.9 | 13.4 | 13.9 | 12.8 | 16.8 | 12.3 | 19.9 | 12.0 | 23.0 | 11.6 | 26.1 |
| | 1100 | 16.7 | 5.1 | 15.8 | 8.3 | 15.1 | 11.3 | 14.4 | 14.6 | 13.9 | 17.8 | 13.4 | 21.1 | 12.9 | 25.0 | 12.4 | 28.9 |
| | 1180 | 17.9 | 5.3 | 16.9 | 8.7 | 16.3 | 12.2 | 15.6 | 15.6 | 15.0 | 18.9 | 14.6 | 22.8 | 14.1 | 26.1 | 13.6 | 29.3 |
| | 1250 | 19.2 | 5.5 | 18.2 | 9.2 | 17.5 | 12.8 | 16.9 | 16.4 | 16.4 | 20.0 | 15.9 | 23.9 | 15.4 | 27.8 | 14.9 | 31.7 |
| | 1320 | 20.4 | 5.9 | 19.4 | 9.8 | 18.7 | 13.5 | 18.1 | 17.6 | 17.6 | 21.1 | 17.1 | 25.2 | 16.6 | 29.3 | 16.1 | 32.7 |
| | 1390 | 21.6 | 6.2 | 20.6 | 10.2 | 19.9 | 14.1 | 19.3 | 18.1 | 18.8 | 22.8 | 18.3 | 27.2 | 17.8 | 30.4 | 17.3 | 33.7 |
| | 1470 | 23.0 | 6.5 | 22.1 | 10.8 | 21.3 | 15.0 | 20.6 | 19.1 | 20.1 | 23.9 | 19.7 | 28.2 | 19.2 | 32.6 | 18.7 | 36.9 |
| | 1560 | 24.5 | 6.8 | 23.6 | 11.3 | 22.8 | 15.9 | 22.3 | 20.3 | 21.7 | 25.0 | 21.2 | 30.4 | 20.7 | 34.3 | 20.2 | 38.1 |
| | 1650 | 26.1 | 7.3 | 25.1 | 12.0 | 24.4 | 16.7 | 23.8 | 21.4 | 23.2 | 27.2 | 22.7 | 31.5 | 22.3 | 35.8 | 21.9 | 40.2 |
| | 1750 | 27.8 | 7.6 | 26.8 | 12.7 | 26.1 | 17.7 | 25.5 | 23.9 | 25.0 | 28.2 | 24.4 | 33.7 | 24.0 | 38.0 | 23.6 | 42.7 |
| 1850 | 29.5 | 8.4 | 28.6 | 13.5 | 27.8 | 18.7 | 27.3 | 25.0 | 26.7 | 30.4 | 26.2 | 35.8 | 25.8 | 40.1 | 25.4 | 44.4 | |

| Model | RPM | Type RSV-150 performance | | | | | | | | | | | | | | | |
|---------|------|--------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-150 | 780 | 14.6 | 4.5 | 13.3 | 7.4 | 12.5 | 10.3 | 11.7 | 13.1 | 11.1 | 16.1 | 10.5 | 18.9 | 10.0 | 21.8 | 9.7 | 24.6 |
| | 830 | 15.6 | 4.8 | 14.5 | 7.9 | 13.7 | 10.8 | 12.9 | 13.9 | 12.2 | 17.0 | 11.6 | 20.2 | 11.1 | 23.4 | 10.8 | 26.6 |
| | 880 | 16.8 | 5.0 | 15.6 | 8.2 | 14.7 | 11.5 | 14.0 | 14.8 | 13.3 | 18.0 | 12.7 | 21.3 | 12.3 | 24.6 | 12.0 | 27.9 |
| | 930 | 17.9 | 5.1 | 16.8 | 8.7 | 15.9 | 12.2 | 15.1 | 15.6 | 14.5 | 19.0 | 13.8 | 22.8 | 13.3 | 26.6 | 13.0 | 30.3 |
| | 990 | 19.2 | 5.6 | 18.1 | 9.2 | 17.2 | 12.9 | 16.4 | 16.5 | 15.7 | 20.2 | 15.2 | 23.9 | 14.7 | 27.7 | 14.3 | 31.5 |
| | 1050 | 20.5 | 5.9 | 19.4 | 9.8 | 18.5 | 13.7 | 17.8 | 17.6 | 17.1 | 21.4 | 16.4 | 25.1 | 15.8 | 28.7 | 15.5 | 32.5 |
| | 1100 | 21.9 | 6.2 | 20.8 | 10.3 | 19.8 | 14.4 | 19.0 | 18.5 | 18.5 | 22.6 | 17.8 | 27.4 | 17.3 | 32.2 | 16.9 | 37.0 |
| | 1180 | 23.4 | 6.5 | 22.2 | 10.9 | 21.4 | 15.3 | 20.6 | 19.6 | 20.0 | 25.1 | 19.4 | 29.6 | 18.9 | 34.2 | 18.5 | 38.8 |
| | 1250 | 25.0 | 7.0 | 23.8 | 11.5 | 22.9 | 16.2 | 22.2 | 20.8 | 21.6 | 26.2 | 21.0 | 30.8 | 20.5 | 35.3 | 20.1 | 39.9 |
| | 1320 | 26.6 | 7.3 | 25.3 | 12.2 | 24.5 | 17.0 | 23.7 | 21.9 | 23.1 | 27.4 | 22.5 | 31.9 | 22.0 | 36.5 | 21.7 | 41.0 |
| | 1390 | 28.0 | 7.6 | 26.9 | 12.8 | 26.0 | 17.9 | 25.3 | 23.9 | 24.6 | 28.5 | 24.1 | 34.2 | 23.6 | 39.9 | 23.2 | 46.6 |
| | 1470 | 29.9 | 8.1 | 28.7 | 13.5 | 27.8 | 18.9 | 27.0 | 25.1 | 26.5 | 30.8 | 25.9 | 36.5 | 25.4 | 42.2 | 25.1 | 47.9 |
| | 1560 | 31.8 | 8.6 | 30.7 | 14.3 | 29.8 | 20.1 | 29.1 | 26.2 | 28.4 | 31.9 | 27.8 | 37.6 | 27.3 | 43.3 | 26.9 | 49.0 |
| | 1650 | 33.9 | 9.0 | 32.7 | 15.1 | 31.8 | 21.2 | 31.0 | 28.5 | 30.4 | 34.2 | 29.9 | 38.9 | 28.4 | 44.6 | 29.1 | 50.3 |
| | 1750 | 36.0 | 9.5 | 34.9 | 16.0 | 34.0 | 22.5 | 33.3 | 29.6 | 32.6 | 36.5 | 32.0 | 42.2 | 31.5 | 47.8 | 31.2 | 53.6 |
| 1850 | 38.3 | 10.0 | 37.2 | 16.9 | 36.3 | 23.9 | 35.5 | 30.8 | 34.9 | 37.6 | 34.2 | 44.5 | 33.7 | 51.5 | 33.3 | 58.1 | |

VACUUM BLOWER (SUCTION PUMP DEVICE)

| Model | RPM | Type RSV-200A performance | | | | | | | | | | | | | | | |
|----------|------|---------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-200A | 620 | 18.9 | 5.8 | 17.5 | 9.6 | 16.5 | 13.4 | 15.7 | 17.2 | 14.9 | 21.4 | 14.2 | 25.3 | 13.5 | 28.2 | 12.8 | 31.1 |
| | 660 | 20.2 | 6.1 | 19.0 | 10.3 | 18.0 | 14.2 | 17.1 | 18.3 | 16.3 | 22.4 | 15.7 | 26.2 | 15.0 | 30.1 | 14.3 | 34.0 |
| | 700 | 21.7 | 6.4 | 20.4 | 10.8 | 19.3 | 15.0 | 18.5 | 19.4 | 17.7 | 23.3 | 17.0 | 28.2 | 16.4 | 32.1 | 15.7 | 38.0 |
| | 740 | 23.1 | 6.9 | 21.8 | 11.4 | 20.8 | 15.9 | 19.9 | 20.4 | 19.1 | 25.3 | 18.5 | 29.2 | 17.9 | 34.0 | 17.2 | 38.8 |
| | 780 | 24.6 | 7.2 | 23.2 | 11.9 | 22.3 | 16.8 | 21.3 | 22.4 | 20.6 | 26.2 | 19.7 | 31.1 | 19.3 | 36.9 | 18.6 | 42.7 |
| | 830 | 26.3 | 7.6 | 25.0 | 12.7 | 24.0 | 17.8 | 23.1 | 23.3 | 22.4 | 28.2 | 21.7 | 33.1 | 21.1 | 38.9 | 20.4 | 44.7 |
| | 880 | 28.1 | 8.0 | 26.7 | 13.4 | 25.8 | 18.8 | 24.9 | 24.3 | 24.1 | 29.2 | 23.4 | 35.0 | 22.8 | 40.8 | 22.1 | 46.6 |
| | 930 | 29.9 | 8.4 | 28.6 | 14.1 | 27.9 | 19.4 | 26.7 | 25.3 | 26.0 | 31.1 | 25.3 | 36.9 | 24.6 | 42.8 | 23.9 | 48.7 |
| | 990 | 32.1 | 8.9 | 30.7 | 14.9 | 29.7 | 21.4 | 28.9 | 27.2 | 28.1 | 33.1 | 27.4 | 39.9 | 26.7 | 45.7 | 26.0 | 51.5 |
| | 1050 | 34.2 | 9.4 | 32.9 | 15.8 | 31.9 | 22.4 | 31.0 | 28.2 | 30.2 | 36.0 | 29.6 | 41.8 | 28.9 | 48.6 | 28.2 | 55.4 |
| | 1110 | 36.4 | 9.9 | 35.0 | 16.6 | 34.0 | 23.3 | 33.2 | 30.1 | 32.4 | 37.9 | 31.7 | 44.7 | 31.0 | 50.5 | 30.3 | 56.3 |
| | 1180 | 38.8 | 10.5 | 37.5 | 17.7 | 36.5 | 25.3 | 35.6 | 32.1 | 34.9 | 39.9 | 34.1 | 46.7 | 33.5 | 53.5 | 32.8 | 60.1 |
| | 1250 | 41.3 | 11.1 | 40.0 | 18.9 | 39.0 | 26.2 | 38.1 | 34.0 | 37.3 | 41.8 | 36.6 | 49.6 | 36.1 | 57.4 | 35.4 | 65.0 |
| | 1320 | 43.8 | 11.7 | 42.5 | 19.4 | 41.4 | 28.2 | 40.6 | 36.9 | 39.9 | 44.7 | 39.2 | 52.5 | 38.5 | 60.3 | 37.8 | 68.1 |
| 1390 | 46.3 | 13.3 | 45.0 | 20.4 | 43.9 | 29.2 | 43.1 | 37.9 | 42.3 | 46.7 | 41.6 | 55.4 | 41.0 | 63.2 | 40.3 | 71.0 | |

| Model | RPM | Type RSV-200 performance | | | | | | | | | | | | | | | |
|---------|------|--------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-200 | 620 | 24.3 | 7.0 | 22.6 | 11.9 | 21.2 | 16.8 | 20.1 | 22.0 | 19.2 | 26.0 | 18.20 | 32.0 | 17.4 | 37.0 | 16.7 | 42.0 |
| | 660 | 26.1 | 7.5 | 24.4 | 12.7 | 23.1 | 17.9 | 22.0 | 23.0 | 21.0 | 28.0 | 20.1 | 34.0 | 19.3 | 39.0 | 18.6 | 44.0 |
| | 700 | 27.9 | 7.9 | 26.2 | 13.4 | 24.9 | 18.9 | 23.8 | 24.0 | 22.8 | 30.0 | 21.9 | 37.0 | 21.0 | 42.0 | 20.3 | 47.0 |
| | 740 | 29.8 | 8.3 | 28.1 | 14.1 | 26.7 | 20.0 | 25.6 | 26.0 | 24.7 | 31.0 | 23.7 | 38.0 | 23.0 | 44.0 | 22.3 | 50.0 |
| | 780 | 31.6 | 8.7 | 29.9 | 14.9 | 28.6 | 21.0 | 27.5 | 27.0 | 26.5 | 33.0 | 25.6 | 40.0 | 24.8 | 46.0 | 24.1 | 52.0 |
| | 830 | 33.9 | 9.4 | 32.2 | 15.9 | 30.8 | 23.0 | 29.7 | 29.0 | 28.7 | 37.0 | 27.9 | 43.0 | 27.1 | 49.0 | 26.4 | 55.0 |
| | 880 | 36.2 | 10.0 | 34.4 | 16.9 | 33.1 | 24.0 | 32.0 | 31.0 | 31.1 | 39.0 | 30.2 | 45.0 | 29.4 | 52.0 | 28.7 | 59.0 |
| | 930 | 38.5 | 10.4 | 36.8 | 17.7 | 35.4 | 25.0 | 34.3 | 32.0 | 33.4 | 40.0 | 32.5 | 47.0 | 31.7 | 54.0 | 30.0 | 61.0 |
| | 990 | 41.2 | 11.0 | 39.5 | 18.8 | 38.2 | 26.0 | 37.1 | 34.0 | 36.1 | 43.0 | 35.2 | 50.0 | 34.4 | 58.0 | 33.7 | 66.0 |
| | 1050 | 44.0 | 11.6 | 42.3 | 20.0 | 40.9 | 28.0 | 39.8 | 37.0 | 38.9 | 45.0 | 38.0 | 53.0 | 37.2 | 61.0 | 36.5 | 69.0 |
| | 1110 | 46.7 | 12.2 | 45.0 | 21.0 | 43.7 | 30.0 | 42.6 | 39.0 | 41.6 | 48.0 | 40.7 | 56.0 | 39.9 | 65.0 | 39.2 | 74.0 |
| | 1180 | 49.9 | 13.1 | 48.2 | 22.0 | 46.9 | 31.0 | 45.8 | 41.0 | 44.8 | 50.0 | 43.9 | 59.0 | 43.1 | 68.0 | 42.4 | 77.0 |
| | 1250 | 53.1 | 13.8 | 51.4 | 24.0 | 50.1 | 33.0 | 49.0 | 44.0 | 48.0 | 53.0 | 47.1 | 63.0 | 46.3 | 72.0 | 45.6 | 83.0 |
| | 1320 | 56.3 | 14.5 | 54.6 | 25.0 | 53.3 | 35.0 | 52.2 | 46.0 | 51.2 | 56.0 | 50.3 | 66.0 | 49.5 | 77.0 | 48.8 | 88.0 |
| 1390 | 59.5 | 15.2 | 57.8 | 26.0 | 56.5 | 38.0 | 55.4 | 48.0 | 54.4 | 59.0 | 53.6 | 70.0 | 52.7 | 81.0 | 51.0 | 92.0 | |

| Model | RPM | Type RSV-250 performance | | | | | | | | | | | | | | | |
|---------|------|--------------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|----------|-------|----------|-------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-250 | 620 | 33.0 | 9.1 | 31.0 | 15.7 | 29.5 | 22.5 | 28.2 | 30.0 | 27.0 | 35.4 | 25.9 | 42.9 | 25.4 | 48.2 | 24.5 | 53.6 |
| | 660 | 35.5 | 9.8 | 33.5 | 16.6 | 32.0 | 23.6 | 30.6 | 31.1 | 29.5 | 37.5 | 28.4 | 45.0 | 27.4 | 50.4 | 26.5 | 55.7 |
| | 700 | 37.8 | 10.3 | 35.9 | 17.7 | 34.3 | 25.7 | 33.0 | 32.2 | 32.0 | 40.7 | 30.9 | 48.2 | 29.9 | 54.7 | 29.2 | 61.1 |
| | 740 | 40.3 | 10.8 | 38.4 | 18.7 | 36.8 | 26.8 | 35.5 | 34.3 | 34.30 | 42.9 | 33.3 | 50.4 | 32.4 | 57.9 | 31.6 | 65.4 |
| | 780 | 42.8 | 11.4 | 40.7 | 19.7 | 39.2 | 27.9 | 38.0 | 36.5 | 36.8 | 45.0 | 35.8 | 52.5 | 34.8 | 61.1 | 34.0 | 69.7 |
| | 830 | 45.9 | 12.0 | 43.8 | 20.9 | 42.2 | 30.0 | 41.0 | 38.6 | 39.9 | 48.2 | 38.8 | 55.7 | 37.8 | 64.3 | 35.2 | 72.9 |
| | 880 | 48.9 | 12.7 | 46.9 | 22.5 | 45.3 | 31.1 | 44.1 | 40.7 | 42.9 | 50.4 | 41.9 | 59.0 | 41.0 | 68.6 | 37.0 | 78.3 |
| | 930 | 52.0 | 13.4 | 50.0 | 23.6 | 48.5 | 32.2 | 47.3 | 42.9 | 46.0 | 52.5 | 44.9 | 62.2 | 44.2 | 71.8 | 43.5 | 81.5 |
| | 990 | 55.6 | 14.2 | 53.6 | 24.7 | 52.1 | 34.3 | 50.8 | 46.1 | 49.6 | 55.7 | 48.7 | 66.5 | 47.7 | 77.2 | 46.5 | 87.9 |
| | 1050 | 59.3 | 15.0 | 57.4 | 25.7 | 55.7 | 36.5 | 54.5 | 48.2 | 53.3 | 59.0 | 52.3 | 69.9 | 51.4 | 81.5 | 50.6 | 93.1 |
| | 1110 | 63.0 | 15.8 | 61.0 | 27.9 | 59.4 | 39.7 | 58.1 | 51.5 | 57.0 | 62.2 | 56.0 | 74.0 | 55.0 | 85.8 | 54.2 | 97.6 |
| | 1180 | 67.2 | 16.7 | 65.3 | 28.9 | 63.7 | 41.8 | 62.4 | 54.7 | 61.3 | 66.5 | 60.3 | 79.3 | 59.3 | 91.1 | 58.4 | 102.9 |
| | 1250 | 71.5 | 17.8 | 69.6 | 31.1 | 68.0 | 45.0 | 66.7 | 58.8 | 65.5 | 69.7 | 64.5 | 83.6 | 63.6 | 96.5 | 62.7 | 109.3 |
| | 1320 | 75.8 | 18.8 | 73.9 | 32.2 | 72.3 | 47.2 | 71.0 | 60.0 | 69.8 | 74.0 | 68.8 | 87.9 | 67.9 | 101.5 | 67.1 | 115.1 |
| 1390 | 80.1 | 19.7 | 78.0 | 34.3 | 76.5 | 49.3 | 75.5 | 63.3 | 74.1 | 78.3 | 73.1 | 93.3 | 72.0 | 108.3 | 71.2 | 123.3 | |

| Model | RPM | Type RSV-300A performance | | | | | | | | | | | | | | | |
|----------|------|---------------------------|------|----------|------|----------|------|----------|------|----------|-------|----------|-------|----------|-------|----------|----|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-300A | 700 | 51.6 | 14.1 | 49.0 | 24.2 | 46.9 | 35.1 | 45.1 | 44.0 | 43.7 | 55.7 | 42.2 | 65.9 | 40.7 | 76.1 | | |
| | 850 | 63.9 | 17.0 | 60.7 | 29.2 | 58.0 | 42.6 | 55.9 | 53.3 | 54.1 | 67.7 | 52.3 | 80.0 | 50.4 | 92.3 | | |
| | 1000 | 76.8 | 19.5 | 74.0 | 34.0 | 72.0 | 47.3 | 70.1 | 63.7 | 68.7 | 76.9 | 67.3 | 92.6 | 65.8 | 108.3 | | |
| | 1150 | 90.0 | 22.5 | 86.7 | 39.1 | 84.4 | 54.4 | 82.1 | 73.2 | 80.7 | 88.4 | 78.9 | 106.4 | 77.2 | 124.4 | | |
| | 1300 | 101.6 | 25.1 | 99.0 | 43.1 | 96.9 | 63.2 | 95.1 | 80.4 | 93.5 | 99.1 | 92.2 | 117.8 | 90.9 | 136.4 | | |
| | 1450 | 115.5 | 28.0 | 112.6 | 48.1 | 110.1 | 70.5 | 108.3 | 89.7 | 106.4 | 110.6 | 104.8 | 134.0 | 103.2 | 157.5 | | |
| | 1550 | 126.0 | 30.0 | 120.5 | 51.4 | 120.2 | 75.4 | 117.9 | 95.9 | 115.6 | 122.4 | 114.2 | 146.1 | 112.7 | 169.8 | | |

| Model | RPM | Type RSV-300 performance | | | | | | | | | | | | | | | |
|---------|------|--------------------------|------|----------|------|----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|
| | | 1000mmAq | | 2000mmAq | | 3000mmAq | | 4000mmAq | | 5000mmAq | | 6000mmAq | | 7000mmAq | | 8000mmAq | |
| | | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw | Qs | kw |
| RSV-300 | 600 | 71.2 | 18.1 | 68.0 | 33.8 | 65.3 | 48.1 | 62.6 | 61.4 | 60.5 | 73.6 | 58.5 | 84.9 | 56.8 | 95.5 | 55.3 | 105.2 |
| | 700 | 85.5 | 20.8 | 81.4 | 39.2 | 78.7 | 55.9 | 76.0 | 71.4 | 73.9 | 85.6 | 71.9 | 98.8 | 70.2 | 111.1 | 68.7 | 122.5 |
| | 800 | 98.5 | 23.7 | 94.8 | 44.7 | 92.1 | 63.8 | 89.4 | 81.4 | 87.3 | 97.7 | 85.3 | 112.7 | 83.6 | 126.8 | 82.1 | 139.8 |
| | 900 | 111.5 | 26.6 | 108.2 | 50.1 | 105.6 | 71.6 | 102.9 | 91.4 | 100.8 | 109.7 | 98.8 | 126.7 | 97.1 | 142.4 | 95.6 | 157.1 |
| | 1000 | 124.5 | 29.6 | 121.6 | 57.0 | 118.9 | 80.9 | 116.2 | 102.9 | 114.1 | 123.3 | 112.1 | 142.1 | 110.4 | 159.6 | 108.9 | 176.0 |
| | 1100 | 138.1 | 34.5 | 135.1 | 63.9 | 132.4 | 90.2 | 129.7 | 114.4 | 127.6 | 136.8 | 125.6 | 157.6 | 123.9 | 176.9 | 122.4 | 194.8 |
| | 1200 | 151.7 | 39.5 | 148.5 | 70.8 | 145.8 | 99.5 | 143.1 | 125.9 | 141.0 | 150.4 | 139.0 | 171.9 | 137.3 | 194.1 | 135.8 | 213.7 |
| | 1300 | 165.3 | 44.5 | 162.1 | 83.6 | 159.4 | 108.8 | 156.7 | 137.4 | 154.6 | 164.0 | 152.6 | 188.4 | 150.9 | 211.3 | 149.4 | 232.6 |

